JOURNAL OF MOLECULAR STRUCTURE, VOLUME 158 (1987)

AUTHOR INDEX

Alcudia, F. 79
Arakawa, T. 179

Bakken, P. 23
Beagley, B. 309
Beguemsi, S. T. 109
Blagoi, Yu. P. 275
Boczoń, W. 127
Bostrøm, G. O. 23
Brassington, N. J. 159
Brett, C. R. 1
Brunet, E. 79
Burgina, E. B. 141

Calladine, R. 309
Caminati, W. 237
Charbonnier, S. 109
Crowder, G. A. 229

Dakkouri, M. 323
Duncan, J. L. 169

Edwards, H. G. M. 153, 159
Ewbank, J. D. 237

Fukuhara, K. 387
Furukawa, Y. 179

Galabov, B. 259
García Ruano, J. L. 79
Gosling, P. 1, 89
Guest, M. F. 215

Hadjieva, B. 259
Hagen, K. 347
Haimova, M. 99
Hanuza, J. 43, 141
Harada, I. 179
Hopf, H. 249
Hoyos, M. A. 79
Huyskens, P. L. 379

Iijima, K. 315

Jadżyn, J. 293
Jäger, H. 249
Jaman, A. I. 205
Jeżowska-Trzebiatowska, B. 43
Joo, T. H. 265

Kalcheva, V. 259
Kim, K. 265
Kim, M. S. 265
Klaeboe, P. 249
Krygowski, T. M. 359

Laureys, C. 301
Legoff, D. 109
Legon, A. C. 205
Lis, T. 369

Machner, W. 43
Majerz, I. 369
Malarski, Z. 369
Marchal, H. 379
Matsuura, H. 387
Maurin, J. 359

Ń'Guessan, Y. T. 109
Nielsen, C. J. 249

Ohkawa, J.-I. 315
Osipova, G. A. 141

Palmer, M. H. 215
Priebe, H. 249
Pritchard, R. G. 309
Proutiere, A. 109

Rabbani, S. R. 1, 89
Radchenko, E. D. 275
Radinov, R. 99
Rankin, D. W. H. 339
Robertson, H. E. 339
Rodríguez, J. H. 79

Sakakibara, M. 387
Sastry, M. I. S. 195
Saunders, M. 69
Schäfer, L. 237
Sheina, G. G. 275
Shen, Q. 347
Shibata, S. 315
Shirakawa, H. 179
Siam, K. 237
Sicińska, W. 57
Simova, E. 99
Simova, S. 99
Singh, S. 195
Stefaniak, L. 57
Stepanian, S. G. 275
Stølevik, R. 23

Tadjer, A. 99
Takeuchi, H. 179
Taylor, S. F. 309
Tute, M. S. 69
Typke, V. 323

Viani, R. 109

Webb, G. A. 57, 69
Witanowski, M. 57

Yurchenko, E. N. 141

Zeegers-Huyskens, Th. 301, 379
Żywucki, B. 293

SUBJECT INDEX

Alkylaryl ureas,
infrared spectroscopic study of the configuration of some alkylaryl ureas 259

Biphenyl compounds,
dihedral angle of biphenyl compounds studied by theoretical calculations (dipole induced dipole, molecular mechanics) and experimental methods (electro-optic measurements, infrared spectroscopy) 109
1-Butanethiol,
surface-enhanced Raman scattering of 1-butanethiol in silver sol 265
Butyronitrile,
conformational and vibrational analysis of butyronitrile 229

Carbonyl sulphide,
the geometry and intermolecular stretching force constant of the dimer of carbonyl sulphide and hydrogen cyanide as determined by rotational spectroscopy 205
Copper(I) trifluoroacetate,
molecular structure of gaseous copper(I) trifluoroacetate as determined by electron diffraction 315
Crystal hydrates,
an ^{17}O nuclear quadrupole double resonance study of several crystal hydrates 89
Cyclobutene,
assignment of the UV—photoelectron spectra of cyclobutene and its syn- and anti-dimers 215
Cyclopropyl silane,
electron diffraction investigation of the molecular structure of cyclopropyl silane 323

Deuteron,
determination of the sign of the deuteron quadrupole coupling constant in the high temperature limit 1
1,1-Dichloro-2-bromoethylcyclopropane,
molecular structure and conformational composition of gaseous 1,1-dichloro-2-bromoethylcyclopropane and 1,1-dichloro-2-cyanomethyl-cyclopropane as determined by electron diffraction 347
1,1-Dichloro-2-cyanomethyl-cyclopropane,
molecular structure and conformational composition of gaseous 1,1-dichloro-2-bromoethylcyclopropane and 1,1-dichloro-2-cyanomethyl-cyclopropane as determined by electron diffraction 347
Diethyl(silyl)amine,
the molecular structure of diethyl(silyl)-amine in the gas phase, determined by electron diffraction 339
N,N'-Diethylurea,
molecular structure of hydrogen bonded *N,N'*-diethylurea in non-polar solvents 293
N,N-Dimethyl-4-nitro-2,6-xylidine,
crystallographic studies and physicochemical properties of π-electron systems. Part VIII. Crystal and molecular structure of *N,N*-dimethyl-4-nitro-2,6-xylidine. Application of the Walsh Rule to *p*-substituted nitrobenzenes 359

π-Electron systems,
crystallographic studies and physicochemical properties of π-electron systems. Part VIII. Crystal and molecular structure of *N,N*-dimethyl-4-nitro-2,6-xylidine. Application of the Walsh Rule to *p*-substituted nitrobenzenes 359
Ester group,
dipolar study of the preferential proton-acceptor site of the ester group 379
2-Ethynyl-1,3-butadiene (3-methylene-4-pentene-yne),
the conformation and vibrational spectra of 2-ethynyl-1,3-butadiene (3-methylene-4-pentene-yne) 249

Guanine,
IR spectra of guanine and hypoxanthine isolated molecules 275

Halogen substituted molecules,
torsional potentials and conformational structures in the halogen substituted

molecules $HOC-CH_2X$, $HOC-CHX_2$, $XOC-CH_2X$, $XOC-CHX_2$, $XH_2C-CO-CH_3$, $X_2HC-CO-CH_3$, $(XH_2C)_2CO$, $(X_2HC)_2CO$, and $(X_3C)_2CO$ (X = Cl, Br) as determined by molecular-mechanics calculations 23

Hydrogen bonding site,
infrared study of the hydrogen bonding site in a poly-functional Schiff base: $N(sp^2)$ or $N(sp)$? 301

Hydrogen cyanide,
the geometry and intermolecular stretching force constant of the dimer of carbonyl sulphide and hydrogen cyanide as determined by rotational spectroscopy 205

Hypoxanthine,
IR spectra of guanine and hypoxanthine isolated molecules 275

$KY(MoO_4)_2$ Crystal,
the low temperature spectra and normal coordinate analysis of $KY(MoO_4)_2$ crystal 141

2-Methoxy ethylamine,
interpretation of the microwave spectrum of 2-methoxy ethylamine using its ab initio structures 237

Methylene chloride molecule,
the structure of the methylene chloride molecule 169

4-Methylpyridine,
structure and spectroscopic properties of the 1:1 complex of 4-methylpyridine with pentachlorophenol 369

MOL_5 molecular systems,
normal coordinate analysis of the MOL_5 molecular systems in modified Urey–Bradley and modified valence force fields (M = Re, Tc and L = Cl, Br) 43

Nitrobenzenes,
crystallographic studies and physicochemical properties of π-electron systems. Part VIII. Crystal and molecular structure of *N,N*-dimethyl-4-nitro-2,6-xylidine. Application of the Walsh Rule to *p*-substituted nitrobenzenes 359

^{17}O-nuclear quadrupole double resonance,
an ^{17}O nuclear quadrupole double resonance study of several crystal hydrates 89

β-Oxygenated acyclic sulfoxides,
stereochemistry of organic sulfur compounds. Part 18. Configurational assignment of conformationally homogenous β-oxygenated acyclic sulfoxides 79

Pentachlorophenol,
structure and spectroscopic properties of the 1:1 complex of 4-methylpyridine with pentachlorophenol 369

Perfluoro-cyclobutane,
the molecular structure of perfluorothiirane in the presence of perfluorocyclobutane: a gas-phase electron diffraction study 309

2-Phenyl-2-dehydrosparteine,
further studies on the stereochemistry of sparteine, its isomers and derivatives. Part XIV. Synthesis, structure and spectroscopic properties of the 2-phenyl-2-dehydrosparteine and its di-protonated salts (chloride, bromide and perchlorate) 127

3-Phenylpyrazolo(4,3-c)pyridine,
3-phenylpyrazolo(4,3-c)pyridine and derivatives: structure determination 99

trans-Polyacetylene,
density of vibrational states in *trans*-polyene: comparison with the infrared, Raman and neutron spectra of *trans*-polyacetylene 179

trans-Polyene,
density of vibrational states in *trans*-polyene: comparison with the infrared, Raman and neutron spectra of *trans*-polyacetylene 179

Pyrazine $C_4H_4N_2$,
the pure rotational Raman spectrum of pyrazine $C_4H_4N_2$ 159

Quadrupole coupling constant,
determination of the sign of the deuteron quadrupole coupling constant in the high temperature limit 1

Schiff base,
infrared study of the hydrogen bonding site in a poly-functional Schiff base: $N(sp^2)$ or $N(sp)$? 301

Silver sol,
surface-enhanced Raman scattering of 1-butanethiol in silver sol 265

Solvent effects,
a theoretical study of solvent effects on molecular electronic properties 69
Sparteine,
further studies on the stereochemistry of sparteine, its isomers and derivatives. Part XIV. Synthesis, structure and spectroscopic properties of the 2-phenyl-2-dehydrosparteine and its di-protonated salts (chloride, bromide and perchlorate) 127
Sulfur compounds,
stereochemistry of organic sulfur compounds. Part 18. Configurational assignment of conformationally homogeneous β-oxygenated acyclic sulfoxides 79
Sulphurdiimides,
conformational studies of some sulphurdiimides by spectroscopic techniques 57

Tetrakistriiodophosphine-nickel(0),
the preparation and infra-red spectrum of tetrakistriiodophosphine-nickel(0), $Ni(PI_3)_4$ 153
1,1,3,3-Tetramethylbutyl group,
conformational key Raman bands of the 1,1,3,3-tetramethylbutyl group as a hydrophobic moiety of Triton X surfactants 387
Triton X surfactants,
conformational key Raman bands of the 1,1,3,3-tetramethylbutyl group as a hydrophobic moiety of Triton X surfactants 387

Ureas,
infrared spectroscopic study of the configuration of some alkylaryl ureas 259

Water,
derivative analysis of Raman spectra of liquid water in the O—H (D) stretching region 195

CONTENTS

Determination of the sign of the deuteron quadrupole coupling constant in the high temperature limit
P. Gosling, C. R. Brett and S. R. Rabbani (Oxford, Gt. Britain) 1

Torsional potentials and conformational structures in the halogen substituted molecules $HOC-CH_2X$, $HOC-CHX_2$, $XOC-CH_2X$, $XOC-CHX_2$, $XH_2C-CO-CH_3$, $X_2HC-CO-CH_3$, $(XH_2C)_2CO$, $(X_2HC)_2CO$, and $(X_3C)_2CO$ (X = Cl, Br) as determined by molecular-mechanics calculations
G. O. Bostrøm, P. Bakken and R. Stølevik (Trondheim, Norway) 23

Normal coordinate analysis of the MOL_5 molecular systems in modified Urey–Bradley and modified valence force fields (M = Re, Tc and L = Cl, Br)
J. Hanuza, B. Jeżowska-Trzebiatowska and W. Machner (Wrocław, Poland) 43

Conformational studies of some sulphurdiimides by spectroscopic techniques
W. Sicińska, L. Stefaniak, M. Witanowski (Warsaw, Poland) and G. A. Webb (Guildford, Gt. Britain) 57

A theoretical study of solvent effects on molecular electronic properties
M. Saunders, G. A. Webb (Guildford, Gt. Britain) and M. S. Tute (Kent, Gt. Britain) 69

Stereochemistry of organic sulfur compounds. Part 18. Configurational assignment of conformationally homogeneous β-oxygenated acyclic sulfoxides
E. Brunet, J. L. García Ruano, M. A. Hoyos, J. H. Rodríguez (Madrid, Spain) and F. Alcudia (Sevilla, Spain) 79

An ^{17}O nuclear quadrupole double resonance study of several crystal hydrates
P. Gosling and S. R. Rabbani (Oxford, Gt. Britain) 89

3-Phenylpyrazolo(4,3-c)pyridine and derivatives: structure determination
R. Radinov, M. Haimova, A. Tadjer, E. Simova and S. Simova (Sofia, Bulgaria) 99

Dihedral angle of biphenyl compounds studied by theoretical calculations (dipole induced dipole, molecular mechanics) and experimental methods (electro-optic measurements, infrared spectroscopy)
S. Charbonnier, S. T. Beguemsi, Y. T. N'Guessan (Abidjan, Ivory Coast), D. Legoff, A. Proutiere (Nantes, France) and R. Viani (Nice, France) 109

Further studies on the stereochemistry of sparteine, its isomers and derivatives. Part XIV. Synthesis, structure and spectroscopic properties of the 2-phenyl-2-dehydrosparteine and its di-protonated salts (chloride, bromide and perchlorate)
W. Boczoń (Poznań, Poland) 127

The low temperature spectra and normal coordinate analysis of $KY(MoO_4)_2$ crystal
J. Hanuza (Wrocław, Poland), E. B. Burgina, G. A. Osipova and E. N. Yurchenko (Novosibirsk, U.S.S.R.) . . . 141

The preparation and infra-red spectrum of tetrakistriiodophosphine-nickel(0), $Ni(PI_3)_4$
H. G. M. Edwards (Bradford, Gt. Britain) 153

The pure rotational Raman spectrum of pyrazine $C_4H_4N_2$
N. J. Brassington and H. G. M. Edwards (Bradford, Gt. Britain) 159

The structure of the methylene chloride molecule
J. L. Duncan (Old Aberdeen, Gt. Britain) 169

Density of vibrational states in *trans*-polyene: comparison with the infrared, Raman and neutron spectra of *trans*-polyacetylene
H. Takeuchi, T. Arakawa, Y. Furukawa, I. Harada (Sendai, Japan) and H. Shirakawa (Ibaraki, Japan) 179

Derivative analysis of Raman spectra of liquid water in the O–H (D) stretching region
M. I. S. Sastry and S. Singh (Madras, India) 195

The geometry and intermolecular stretching force constant of the dimer of carbonyl sulphide and hydrogen cyanide as determined by rotational spectroscopy
A. I. Jaman and A. C. Legon (Exeter, Gt. Britain) 205

Assignment of the UV–photoelectron spectra of cyclobutene and its *syn*- and *anti*-dimers
M. H. Palmer (Edinburgh, Gt. Britain) and M. F. Guest (Warrington, Gt. Britain) 215

Conformational and vibrational analysis of butyronitrile
G. A. Crowder (Canyon, TX, U.S.A.) 229

Interpretation of the microwave spectrum of 2-methoxy ethylamine using its ab initio structures
W. Caminati (Bologna, Italy), K. Siam, J. D. Ewbank and L. Schäfer (Fayetteville, AR, U.S.A.) 237
The conformation and vibrational spectra of 2-ethynyl-1,3-butadiene (3-methylene-4-pentene-yne)
H. Priebe, C. J. Nielsen, P. Klaeboe (Oslo, Norway), H. Hopf and H. Jäger (Braunschweig, F.R.G.) 249
Infrared spectroscopic study of the configuration of some alkylaryl ureas
B. Galabov, V. Kalcheva and B. Hadjieva (Sofia, Bulgaria) 259
Surface-enhanced Raman scattering of 1-butanethiol in silver sol
T. H. Joo, K. Kim and M. S. Kim (Seoul, Korea) 265
IR spectra of guanine and hypoxanthine isolated molecules
G. G. Sheina, S. G. Stepanian, E. D. Radchenko and Yu. P. Blagoi (Kharkov, U.S.S.R.) 275
Molecular structure of hydrogen bonded *N,N'*-diethylurea in non-polar solvents
J. Jadżyn and B. Żywucki (Poznań, Poland) 293
Infrared study of the hydrogen bonding site in a poly-functional Schiff base: N(sp^2) or N(sp)?
C. Laureys and Th. Zeegers-Huyskens (Heverlee, Belgium) 301
The molecular structure of perfluoro-thiirane in the presence of perfluoro-cyclobutane: a gas-phase electron diffraction study
B. Beagley, R. Calladine, R. G. Pritchard and S. F. Taylor (Manchester, Gt. Britain) 309
Molecular structure of gaseous copper(I) trifluoroacetate as determined by electron diffraction
K. Iijima, J.-I. Ohkawa and S. Shibata (Shizuoka, Japan) 315
Electron diffraction investigation of the molecular structure of cyclopropyl silane
M. Dakkouri and V. Typke (Ulm/Donau, F.R.G.) 323
The molecular structure of diethyl(silyl)amine in the gas phase, determined by electron diffraction
D. W. H. Rankin and H. E. Robertson (Edinburgh, Gt. Britain) 339
Molecular structure and conformational composition of gaseous 1,1-dichloro-2-bromoethylcyclopropane and 1,1-dichloro-2-cyanomethyl-cyclopropane as determined by electron diffraction
Q. Shen (Hamilton, NY, U.S.A.) and K. Hagen (Trondheim, Norway) 347
Crystallographic studies and physicochemical properties of π-electron systems. Part VIII. Crystal and molecular structure of *N,N*-dimethyl-4-nitro-2,6-xylidine. Application of the Walsh Rule to *p*-substituted nitrobenzenes
J. Maurin and T. M. Krygowski (Pasteura, Poland) 359
Structure and spectroscopic properties of the 1:1 complex of 4-methylpyridine with pentachlorophenol
Z. Malarski, I. Majerz and T. Lis (Wrocław, Poland) 369
Dipolar study of the preferential proton-acceptor site of the ester group
P. L. Huyskens, H. Marchal and Th. Zeegers-Huyskens (Heverlee, Belgium) 379

Short Communication
Conformational key Raman bands of the 1,1,3,3-tetramethylbutyl group as a hydrophobic moiety of Triton X surfactants
H. Matsuura, K. Fukuhara (Hiroshima, Japan) and M. Sakakibara (Tottori, Japan) 387

Author index 391

Subject index 393